

## 8. Galois Theory Examples and Applications

### Examples and Applications

A few additional remarks on Galois Theory.

#### The “general polynomial”

The polynomial  $F_n(T) = (T - x_1) \cdots (T - x_n)$ , where the  $x_i$  are indeterminants, is called the general polynomial of degree  $n$ . The group  $S_n$  permutes the  $x_i$  and acts as automorphisms of the field  $E(x_1, \dots, x_n)$  where  $E$  is any field.

The coefficients of  $F_n(T)$  are, up to sign, the elementary symmetric functions  $s_i$  of the roots  $x_i$ . Therefore the field  $E(s_1, \dots, s_n)$  is contained in the fixed field of  $S_n$  on  $E(x_1, \dots, x_n)$ . Therefore  $[E(x_1, \dots, x_n) : E(s_1, \dots, s_n)] \geq n!$ .

On the other hand,  $E(x_1, \dots, x_n)$  is the splitting field of  $F_n(T)$  over  $E(s_1, \dots, s_n)$ . Therefore  $[E(x_1, \dots, x_n) : E(s_1, \dots, s_n)] \leq n!$ .

Thus the galois group of this extension is  $S_n$ .

In particular any symmetric function in the roots of a polynomial can be written in terms of the coefficients of the polynomial.

#### The discriminant

The discriminant of a polynomial is the product of the differences of its distinct roots squared:

$$\Delta = \prod_{i < j} (x_i - x_j)^2$$

It is a symmetric function of the roots.

If  $\Delta$  is a square, then the galois group of the polynomial is contained in the alternating group.

#### Solvability by radicals

A radical extension  $K/F$  is a field extension that can be constructed by a succession of simple radical extensions where  $K_{i+1} = K_i(\alpha_{i+1})$  where  $\alpha_{i+1}^{n_{i+1}} \in K_i$ .

Notice that any field extension generated by roots of unity is a radical extension.

**Theorem (Kummer):** Suppose that  $F$  is a field containing the  $n^{\text{th}}$  roots of unity where the characteristic of  $F$  does not divide  $n$ . Then  $K/F$  is a cyclic Galois extension (i.e. has cyclic Galois group) of degree  $n$  if and only if  $K = F(\alpha)$  where  $\alpha^n \in F$ .

### Solvability by radicals

A polynomial is “solvable by radicals” (meaning its roots lie in a radical extension) if and only if the Galois group is solvable.

The polynomial  $x^5 - 6x + 3$  has Galois group  $S_5$ .

[View as slides](#)